

ALSTON & BIRD LLP

3201 Beechleaf Court, Suite 600
Raleigh, NC 27604-1062

919-862-2200
Fax: 919-862-2260
www.alston.com

Jason O. Piché

Direct Dial: 919-862-2259

E-mail: jason.piche@alston.com

May 10, 2007

Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

Re: U.S. Patent for *Mechanical Pipe Joint, Gasket, and Method for Restraining Pipe Spigots in Mechanical Pipe Joint Bell Sockets*
Appl. No. 10/827,159; Filed April 19, 2004
Patent No. 7,207,606 B2; Issued April 24, 2007
Our File 047752/268747

Sir:

It is respectfully requested that a Certificate of Correction be issued for the above-identified patent, in accordance with 37 C.F.R. §1.322. This request is made in order to correct the mistake incurred through the fault of the United States Patent and Trademark Office ("USPTO").

The mistake appearing in the patent is set forth on the Certificate of Correction e-filed herewith.

Respectfully submitted,

/Jason O. Piché/

Jason O. Piché
Registration No. 53,468

Enclosures

One Atlantic Center
1201 West Peachtree Street
Atlanta, GA 30309-3424
404-881-7000
Fax: 404-881-7777

Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
704-444-1000
Fax: 704-444-1111

90 Park Avenue
New York, NY 10016
212-210-9400
Fax: 212-210-9444

The Atlantic Building
950 F Street, NW
Washington, DC 20004-1404
202-756-3300
Fax: 202-756-3333

**UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION**

PATENT NO. : 7,207,606 B2

Page 1 of 1

APPLICATION NO. : 10/827,159

ISSUE DATE : April 24, 2007

INVENTOR(S) : Owen *et al.*

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 10,

Line 40: "farther" should read --further--

MAILING ADDRESS OF SENDER

ALSTON & BIRD LLP
Bank of America Plaza
101 South Tryon Street, Suite 4000
Charlotte, NC 28280-4000
Tel Charlotte Office (704) 444-1000